

Lanark Native Seed Mix

| Native Species | (kg PLS per /10,000 sq.m) | Proportion of seed mix by wt. (%) |
|--|----------------------------------|--|
| Black-eyed Suasn, <i>Rudbeckia hirta</i> | 0.31 | 0.31 |
| Common milkweed, <i>Asclepias syriaca</i> | 2.42 | 2.42 |
| Wild bergamot, <i>Monarda fistuloas</i> | 0.41 | 0.41 |
| Blue vervain, <i>Verbena hastata</i> | 0.41 | 0.41 |
| Bonset, <i>Eupatorium perfoliatum</i> | 0.30 | 0.30 |
| Flat-topped Aster: <i>Aster umbellatus</i> | 0.90 | 0.90 |
| New England Aster: <i>Aster novae-angliae</i> | 0.49 | 0.49 |
| Purple-stemmed Aster: <i>Aster puniceus</i> | 0.50 | 0.50 |
| Canada goldenrod: <i>Solidago canadensis</i> | 0.50 | 0.50 |
| Panicled Aster: <i>Aster simplex</i> or <i>A. lanceolatus</i> | 0.30 | 0.30 |
| Frost Aster or Heath Aster: <i>Aster pilosus</i> or <i>Aster ericoides</i> | 0.22 | 0.22 |
| Rough goldenrod, <i>Solidago rugosa</i> | 0.12 | 0.12 |
| Grass-leaved goldenrod: <i>Solidago graminifolia</i> | 0.12 | 0.12 |
| Total native species and perennial ryegrass | 7 kg/10,000 sq. m. | 100.0 |

Nurse grasses

| Species | Seeding rate (kg/10,000 sq. m.) |
|----------------------------|--|
| <i>Avena sativa</i> | 25 |
| <i>Festuca ovina</i> | 25 |
| <i>Lolium multiflorum</i> | 15 |
| Total nurse grasses | 65 |